

IMPACT ROOF & GUTTER GREY

Revision Number 3.02

Revision date 20-Nov-2022 Supersedes Date: 11-Nov-2019

Section 1: Identification: Product	identifier and chemical identity		
Product identifier			
Product Name	IMPACT ROOF & GUTTER GREY		
Product Code(s) 30609640 30609640			
Other means of identification			
Pure substance/mixture	Mixture		
Recommended use of the chemical and restrictions on use			
Recommended use	Sealant		
Uses advised against	No information available		
Details of manufacturer or importer			
Supplier Bostik Australia Pty Ltd 51-71 High Street, Thomastown Victoria Australia Tel: 613 9279-9333 Fax: 613 9279-9342			
ABN: 79 003 893 838			
E-mail address	au-bostik-sds@bostik.com		
Emergency telephone number			
Emergency telephone number	24-hr Emergency: 1800 033 111		
Section 2: Hazard(s) identification	1		

GHS Classification

Carcinogenicity	Category 2 - (H351)
Specific target organ toxicity (single exposure)	Category 2

Label elements

Health hazard



IMPACT ROOF & GUTTER GREY

Revision Number 3.02

Signal word WARNING

Hazard statements

H351 - Suspected of causing cancer H371 - May cause damage to organs

Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Wear protective gloves/clothing and eye/face protection Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product **Precautionary Statements - Response** IF exposed or concerned: Get medical advice/attention IF exposed or concerned: Call a POISON CENTER or doctor **Precautionary Statements - Storage** Store locked up **Precautionary Statements - Disposal** Dispose of contents/container to an approved waste disposal plant

Other hazards which do not result in classification

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. Small amounts of 2-butanone, oxime (CAS 96-29-7) are formed by hydrolysis and released upon curing.

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Poison Schedule Number Not applicable 6

Section 3: Composition and information on ingredients, in accordance with Schedule 8

Substance

Not applicable

Continu 4. First sid mass

Mixture

Chemical name	CAS No	Weight-%
2-Butanone, O,O',O"-(methylsilylidyne)trioxime	22984-54-9	0 - <10
N-(3-(trimethoxysilyl)propyl)ethylenediamine	1760-24-3	0 - <10
2-Butanone, oxime	96-29-7	0 - <10
Toluene	108-88-3	0 - <10
Non-hazardous ingredients	Proprietary	Balance

Section 4: First aid measures	
Emergency telephone number	Poisons Information Center, Australia: 13 11 26 Poisons Information Center, New Zealand: 0800 764 766
Description of first aid measures	
General advice	Show this safety data sheet to the doctor in attendance. If medical advice is needed, have product container or label at hand.
Inhalation	Remove to fresh air. If symptoms persist, call a physician.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses

	and continue flushing for at least 15 minutes. Consult an ophthalmologist.		
Skin contact	Wash off immediately with plenty of water for at least 15 minutes. If symptoms persist, call a physician.		
Ingestion	Never give anything by mouth to an unconscious person. Rinse mouth thoroughly with water. Drink 1 or 2 glasses of water. Do NOT induce vomiting.		
Most important symptoms and effe	ects, both acute and delayed		
Symptoms	None known.		
Indication of any immediate medic	al attention and special treatment needed		
Note to physicians	Treat symptomatically.		
Section 5: Firefighting measures			
Suitable Extinguishing Media			
Suitable extinguishing media	Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.		
Unsuitable extinguishing media	Full water jet.		
Specific hazards arising from the chemical			
Specific hazards arising from the chemical	Thermal decomposition can lead to release of irritating gases and vapors.		
Hazardous combustion products	Carbon dioxide (CO2). Nitrogen oxides (NOx). Silicon oxides.		
Special protective actions for fire-	fighters		
Special protective equipment and precautions for fire-fighters	Wear self contained breathing apparatus for fire fighting if necessary.		
Section 6: Accidental release mea	sures		
Personal precautions, protective e	equipment and emergency procedures		
Personal precautions	Do not get in eyes, on skin, or on clothing. Use personal protective equipment as required. Ensure adequate ventilation.		
Other information	Refer to protective measures listed in Sections 7 and 8.		
For emergency responders	Use personal protection recommended in Section 8.		
Environmental precautions			
Environmental precautions	Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section 12 for additional Ecological Information.		
Methods and material for containment and cleaning up			

Methods for containment Do not scatter spilled material with high pressure water streams.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Precautions to prevent secondary hazards

IMPACT ROOF & GUTTER GREY

Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.			
Section 7: Handling and storage, i	Section 7: Handling and storage, including how the chemical may be safely used			
Precautions for safe handling				
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing.			
General hygiene considerations	Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Take off contaminated clothing and wash it before reuse.			
Conditions for safe storage, including any incompatibilities				
Storage Conditions	Protect from moisture. Keep away from food, drink and animal feeding stuffs.			
Recommended storage temperature	Keep at temperatures between 50 and 95 $^{\circ}\text{F}$ / 10 and 35 $^{\circ}\text{C}.$			
Incompatible materials	Strong oxidizing agents.			
Section 8: Exposure controls and personal protection				

Control parameters

Exposure Limits

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

Chemical name	Australia
Toluene	TWA: 50 ppm
108-88-3	TWA: 191 mg/m ³
	STEL: 150 ppm
	STEL: 574 mg/m ³

OEL as published by Safe Work Australia

Biological occupational exposure limits

Appropriate engineering controls

Engineering controls	Showers, eyewash stations, and ventilation systems.		
Individual protection measures, su	ich as personal protective equipment		
Eye/face protection	No special protective equipment required.		
Skin and body protection	Wear suitable protective clothing.		
Hand protection	Wear suitable gloves.		
Respiratory protection	Organic gases and vapors filter conforming to EN 14387. White. Brown.		
Environmental exposure controls	No information available.		
Castion O: Dhysical and shamical			

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state	Paste / Gel Liquid
Appearance	Very viscous Paste
Color	Gray

IMPACT ROOF & GUTTER GREY

Revision Number 3.02

Revision date 20-Nov-2022 Supersedes Date: 11-Nov-2019

Odor Odor threshold	Organic No information available		
Property pH	Values	Remarks • Method Not applicable Insoluble in water	
pH (as aqueous solution)	No data available		
Melting point / freezing point	No data available		
Initial boiling point and boiling	No data available		
range			
Flash point	No data available		
Evaporation rate	No data available		
Flammability	Not applicable for liquids .		
Flammability Limit in Air			
Upper flammability or explosive limits	No data available		
Lower flammability or explosive limits	No data available		
Vapor pressure	No data available		
Relative vapor density	No data available		
Relative density	No data available		
Water solubility	Insoluble in water		
Solubility(ies)	No data available		
Partition coefficient	No data available		
Autoignition temperature	No data available		
Decomposition temperature	No data available		
Kinematic viscosity	No data available		
Dynamic viscosity	150000 - 250000 mPa s	@ 23 °C	
Explosive properties	No information available		
Oxidizing properties	No information available		
Other information			
Solid content (%)	No information available		
Liquid Density	No information available		
VOC content	No informat	ion available	
Section 10: Stability and reactivity			
Reactivity			
Reactivity	Product cures with moisture.		
Chemical stability			
Stability	Stable under normal conditions.		
Explosion data			
Sensitivity to mechanical	None.		
impact Sensitivity to static discharge	None.		
Possibility of hazardous reactions			
Possibility of hazardous reactions	None under normal processing.		
Conditions to avoid			
Conditions to avoid		r or moisture over prolonged periods. Do not freeze. faces and sources of ignition.	
	Reep away nom open names, not su	5	
Incompatible materials	rteep away non open names, not su		
Incompatible materials	rteep away non open names, not su		
Incompatible materials Australia - EN	rteep away non open names, not su	Page 5/11	

IMPACT ROOF & GUTTER GREY

Revision Number 3.02

	—		
Incompatible materials	Strong oxidizing agents.		
Hazardous decomposition product	<u>.s</u>		
Hazardous decomposition products	Methyl alcohol. May emit toxic fumes under fire conditions. Carbon oxides. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.		
Section 11: Toxicological informat	ion		
Acute toxicity			
Information on likely routes of exposure			
Product Information			
Inhalation	Based on available data, the classification criteria are not met.		
Eye contact	Based on available data, the classification criteria are not met.		
Skin contact	Based on available data, the classification criteria are not met.		
Ingestion	Based on available data, the classification criteria are not met.		
Symptoms	No information available.		

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS documentATEmix (dermal)27,711.50 mg/kg

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
2-Butanone,	LD50 = 2463 mg/Kg (Rattus)	LD50 >2000 mg/Kg (Rattus)	-
O,O',O''-(methylsilylidyne)trioxi me	(OECD 401)	(OECD 402)	
N-(3-(trimethoxysilyl)propyl)eth ylenediamine	=2295 mg/kg (Rattus)	>2000 mg/Kg (Rattus)	LC50 4H (Aerosol)1.5 - 2.44 mg/L air
2-Butanone, oxime	=100 mg/kg (ATE)	1000 - 1800 mg/kg (Oryctolagus cuniculus)	>4.83 mg/L (Rattus) 4 h
Toluene	=5580 mg/kg (Rattus)	= 12000 mg/kg (Oryctolagus cuniculus)	>20 mg/L (Rattus) 4 h

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

No information available.

Component Information					
Toluene (108-88-3)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
Regulation (EC) No.	Rabbit	Dermal			Irritant
440/2008, Annex, B.4					

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization No information available.

Component Information				
Toluene (108-88-3)				
Method	Species	Exposure route	Results	
Regulation (EC) No. 440/2008,	Guinea pig		No sensitization responses	
Annex, B.6 (Maximization test)			were observed	

Germ cell mutagenicity

No information available.

Component Information		
Toluene (108-88-3)		
Method	Species	Results
Regulation (EC) No. 440/2008, Annex, B.13/14 (Ames test)	Salmonella typhimurium	Not mutagenic
OECD Test No. 476: In vitro Mammalian Cell Gene Mutation Test	Mouse	Not mutagenic

Carcinogenicity

Contains a known or suspected carcinogen. Classification based on data available for ingredients. Suspected of causing cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	Australia	European Union	IARC
2-Butanone, oxime	Carc. 2	Carc. 1B	
96-29-7			
Toluene			Group 3
108-88-3			

Legend

IARC (International Agency for Research on Cancer) Group 3 - Not Classifiable as to Carcinogenicity in Humans

Component Information		
2-Butanone, oxime (96-29-7)		
Method	Species	Results
OECD Test No. 453: Combined Chronic	Rat	Carcinogenic
Toxicity/Carcinogenicity Studies		

Reproductive toxicity

No information available.

Component Information				
Toluene (108-88-3)				
Method	Species	Results		
OECD 407	in vivo	Reproductive toxicant		
STOT - single exposure	country or region with which this s	a of the Globally Harmonized System as adopted in the safety data sheet complies, this product has been get organ toxicity from acute exposure. (STOT SE).		
STOT - repeated exposure	No information available.			

51	- Tepealeu	exposure	

Component Information	
Foluene (108-88-3)	

IMPACT ROOF & GUTTER GREY

Method	Species	Exposure route	Effective dose	Exposure time	Results
Regulation (EC) No. 440/2008, Annex, B.26	Rat, male, female	Oral		91 days	NOAEL: 625 mg/kg
OECD Test No. 453: Combined Chronic Toxicity/Carcinogenicity Studies	Rat, male, female	Inhalation, vapor			NOAEL: 1.131 mg/l

Aspiration hazard

No information available.

Section 12: Ecological information

Ecotoxicity

Aquatic ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
2-Butanone, O,O',O''-(methylsilylidyn e)trioxime 22984-54-9	EC50 (72h) = 94 mg/L (Pseudokirchneriella subcapitata) OECD 201	EC50 (96h) >120 mg/L (Oncorhynchus mykiss)Freshwater static (OECD guideline 203)	-	EC50 (48h) > 120 mg/L (Daphnia magna) OECD 202
N-(3-(trimethoxysilyl)pro pyl)ethylenediamine 1760-24-3	-	LC50 (96H) =597 mg/L (Danio rerio)Semi-static	-	EC50 (48h) =81mg/L Daphnia magna Static
2-Butanone, oxime 96-29-7	EC50: =83mg/L (72h, Desmodesmus subspicatus)	LC50: =760mg/L (96h, Poecilia reticulata) LC50: 777 - 914mg/L (96h, Pimephales promelas) LC50: 320 - 1000mg/L (96h, Leuciscus idus)	EC50 = 281 mg/L 17 h EC50 = 950 mg/L 5 min	EC50: =750mg/L (48h, Daphnia magna)
Toluene 108-88-3	EC50 72 h = 12.5 mg/L (Pseudokirchneriella subcapitata)	LC50 96 h 5.89 - 7.81 mg/L (Oncorhynchus mykiss flow-through) LC50 96 h = 5.8 mg/L (Oncorhynchus mykiss semi-static)	EC50 = 19.7 mg/L 30 min	EC50: =11.5mg/L (48h, Daphnia magna) EC50: 5.46 - 9.83mg/L (48h, Daphnia magna)

Persistence and degradability

Persistence and degradability

Not readily biodegradable. Product cures with moisture.

Bioaccumulative potential

There is no data for this product.

Component Information

Bioaccumulation

Chemical name	Partition coefficient
2-Butanone, O,O',O''-(methylsilylidyne)trioxime 22984-54-9	1.69
N-(3-(trimethoxysilyl)propyl)ethylenediamine 1760-24-3	-0.3
2-Butanone, oxime 96-29-7	0.65
Toluene 108-88-3	3.93

Mobility	
Mobility in soil	No information available.
Mobility	Insoluble in water.
Other adverse effects	
Other adverse effects	No information available.
Section 13: Disposal consideration	IS
Disposal methods	
Waste from residues/unused products	Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.
Contaminated packaging	Handle contaminated packages in the same way as the product itself.
Section 14: Transport information	
ADG	Not regulated
IATA	Not regulated
IMDG	Not regulated

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

<u>Australia</u>

See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP) **Poison Schedule Number** Not applicable 6

National pollutant inventory

Subject to reporting requirement

Chemical name	National pollutant inventory		
Toluene	10 tonne/yr Threshold category 1		
108-88-3	20 MW Threshold category 2b total		
	60000 MWH Threshold category 2b total		
	1 tonne/h Threshold category 2a total		
	25 tonne/yr Threshold category 1a total		
	400 tonne/yr Threshold category 2a total		
	2000 tonne/yr Threshold category 2b total		

International Inventories AIIC NZIoC

Listed Listed

IMPACT ROOF & GUTTER GREY Revision Number 3.02

ENCS	Not Listed
IECSC	Not Listed
KECL	Not Listed
PICCS	Listed

Legend:

AIIC - Australian Inventory of Industrial Chemicals

NZIOC - New Zealand Inventory of Chemicals

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Europe

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

2015/863/EU - RoHS

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation

Section 16: Any other relevant information					
Prepared By	Product Safety & Regul	atory Affairs			
Revision date	20-Nov-2022				
Revision Note ***Indicates updated data since last publication.					
Key or legend to abbreviations and acronyms used in the safety data sheet					
Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION					
TWA TV	VA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)		
Ceiling Ma	aximum limit value	*	Skin designation		
C Ca	arcinogen		-		
Section 11: TOXICOLOGIČAL INFORMATION					
LD50 (lethal dose)					
Section 12: Ecological information					
EC50 (effective concentration)					

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The

IMPACT ROOF & GUTTER GREY Revision Number 3.02

information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet